

LED 다운라이트

주식회사 디앤알라이팅

등록제품 66개

발행일 2026.09.29

LED 다운라이트 제품목록

주식회사 디앤알라이팅

No.	제품사진	모델명	식별번호	계약단가	소비전력	SIZE	색온도	인증마크
1		DNR-6SDL12W	23389696	25,000원	12± 10%	-	5665 ±355	    
2		DNR-6SDL15W	23389697	28,000원	15± 10%	-	5665 ±355	    
3		DNR-8SDL45W	23568488	88,000원	45± 10%	-	5665 ±355	    
4		DNR-8SDL30W-57K	23841812	55,000원	30± 10%	-	5665 ±355	    
5		DNR-6SDL25W-57K	23841815	45,000원	25± 10%	-	5665 ±355	    
6		DNR-6SDL20W-57K	23841816	38,000원	20± 10%	-	5665 ±355	    
7		DNR-6SDL15W-57K	23841817	33,000원	15± 10%	-	5665 ±355	    
8		DNR-6SDL12W-57K	23841818	31,000원	12± 10%	-	5665 ±355	    
9		DNR-6SDL10W-57K	23841819	28,000원	10± 10%	-	5665 ±355	    
10		DNR-MSDL30W-57K	23841822	170,000원	30± 10%	-	5665 ±355	    
11		DNR-3SDL7W-SKP	24253774	23,000원	7± 10%	-	5665 ±355	    
12		DNR-6SDL15W-SKP	24253776	19,000원	15± 10%	-	5665 ±355	    


LED 다운라이트 제품목록

주식회사 디앤알라이팅

No.	제품사진	모델명	식별번호	계약단가	소비전력	SIZE	색온도	인증마크
13		DNR-6SDL12W-SKP	24253777	19,000원	12± 10%	-	5665 ±355	     
14		DNR-3SDL3W-SKP	24316037	18,000원	3± 10%	-	5665 ±355	     
15		DNR-40W8DL-57K	24321689	88,000원	40± 10%	-	5665 ±355	     
16		DNR-7SDL20W-57K	24321691	68,000원	20± 10%	-	5665 ±355	     
17		DNR-30W8DL-57K	24332436	99,000원	30± 10%	-	5665 ±355	     
18		DNR-20W6DL-57K	24332438	44,000원	20± 10%	-	5665 ±355	     
19		DNR-15W6DL-57K	24332439	40,000원	15± 10%	-	5665 ±355	     
20		DNR-12W6DL-57K	24332440	37,000원	12± 10%	-	5665 ±355	     
21		DNR-SAFE15	24753694	150,000원	15± 10%	-	5665 ±355	     
22		DNR-SAFE12	24760034	150,000원	12± 10%	-	5665 ±355	     
23		DNR-R12W903	24792689	60,000원	12± 10%	-	2700 ~ 6000	     
24		DNR-R10W903	24792690	55,000원	10± 10%	-	2700 ~ 6000	     






LED 다운라이트 제품목록

주식회사 디앤알라이팅

No.	제품사진	모델명	식별번호	계약단가	소비전력	SIZE	색온도	인증마크
25		DNR-R10W80	24792691	50,000원	10 ± 10%	-	2700 ~ 6000	     
26		DNR-R12W138	24792692	62,000원	12 ± 10%	-	2700 ~ 6000	     
27		DNR-R15W138	24792700	110,000원	15 ± 10%	-	2700 ~ 6000	     
28		DNR-DL12WSPOT	24792710	99,000원	12 ± 10%	-	2700 ~ 6000	     
29		DNR-DL08WSPOT	24792712	90,000원	8 ± 10%	-	2700 ~ 6000	     
30		DNR-DL05WSPOT	24792713	90,000원	5 ± 10%	-	2700 ~ 6000	     
31		DNR-10W6DL-57K	24839472	35,000원	10 ± 10%	-	5665 ± 355	     
32		DNR-5S12WDL	24839485	33,000원	12 ± 10%	-	5665 ± 355	     
33		DNR-6SDL15W-FF	25191344	38,000원	15 ± 10%	-	5665 ± 355	     
34		DNR-6SDL12W30-FF	25232022	55,000원	12 ± 10%	-	5665 ± 355	     
35		DNR-6SDL15W40-FF	25232023	55,000원	15 ± 10%	-	5665 ± 355	     
36		DNR-MR10	25352248	120,000원	10 ± 10%	-	2700 ~ 6000	     



LED 다운라이트 제품목록

주식회사 디앤알라이팅

No.	제품사진	모델명	식별번호	계약단가	소비전력	SIZE	색온도	인증마크
37		DNR-MR20	25352249	160,000원	20± 10%	-	2700 ~ 6000	     
38		DNR-MS30	25352252	180,000원	30± 10%	-	2700 ~ 6000	     
39		DNR-MT20	25352253	120,000원	20± 10%	-	2700 ~ 6000	     
40		DNR-AG10W4DL40K	25382245	33,000원	10± 10%	-	2700 ~ 6000	     
41		DNR-5W3DL	25387080	31,000원	5± 10%	-	2700 ~ 6000	     
42		DNR-30COB170R	25387083	88,000원	30± 10%	-	2700 ~ 6000	     
43		DNR-20COB140R	25387084	75,000원	20± 10%	-	2700 ~ 6000	     
44		DNR-15COB110R	25387085	65,800원	15± 10%	-	2700 ~ 6000	     
45		DNR-10COB85R	25387086	60,000원	10± 10%	-	2700 ~ 6000	     
46		DNR-110DL20	25786832	92,000원	20± 10%	-	2700 ~ 6000	     
47		DNR-110DL15	25786833	87,000원	15± 10%	-	2700 ~ 6000	     
48		DNR-100DL15	25786834	87,000원	15± 10%	-	2700 ~ 6000	     

LED 다운라이트 제품목록

주식회사 디앤알라이팅

No.	제품사진	모델명	식별번호	계약단가	소비전력	SIZE	색온도	인증마크
49		DNR-90DL12	25786835	79,000원	12± 10%	-	2700 ~ 6000	     
50		DNR-90DL10	25786836	79,000원	10± 10%	-	2700 ~ 6000	     
51		DNR-2SDL05	25786838	66,000원	5± 10%	-	2700 ~ 6000	     
52		DNR-ED095-006BA-57DAA	25805936	33,000원	06± 10%	-	5665 ±355	     
53		DNR-MA15	26201355	90,000원	15± 10%	-	2700 ~ 6000	     
54		DNR-MA30	26201356	166,000원	30± 10%	-	2700 ~ 6000	     
55		DNR-6SDL10W	23389695	23,000원	10± 10%	-	5665 ±355	     
56		DNR-3SDL5W-SKP	24253775	22,500원	5± 10%	-	5665 ±355	     
57		DNR-DL10WSPOT	24792711	99,000원	10± 10%	-	2700 ~ 6000	     
58		DNR-6DL-FA-W018-SS	25636904	28,000원	18± 10%	-	5665 ±355	     
59		DNR-6DL-FA-W015-SS	25636905	16,500원	15± 10%	-	5665 ±355	     
60		DNR-6DL-FA-W012-SS	25636906	16,500원	12± 10%	-	5665 ±355	     

LED 다운라이트 제품목록

주식회사 디앤알라इट

No.	제품사진	모델명	식별번호	계약단가	소비전력	SIZE	색온도	인증마크
61		DNR-R90DLC12W-D75	26182855	75,000원	12± 10%	-	2700 ~ 6000	    
62		DNR-R120DLC12W-D100	26182856	77,000원	12± 10%	-	2700 ~ 6000	    
63		DNR-R140DLC15W-D120	26182857	85,000원	15± 10%	-	2700 ~ 6000	    
64		DNR-R155DLC20W-D140	26182858	89,000원	20± 10%	-	2700 ~ 6000	    
65		DNR-TR05W-D75	26182859	80,000원	5± 10%	-	2700 ~ 6000	    
66		DNR-루바S10W-D85	26182860	99,000원	10± 10%	-	2700 ~ 6000	    

DNR-6SDL12W


식별번호	23389696
계약단가	25,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	25,000원

제품도면 (Unit: mm)



제품 사양

소비전력	12± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,260 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-3612WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.055± 10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-6SDL15W


식별번호	23389697
계약단가	28,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	28,000원

제품도면 (Unit: mm)



제품 사양

소비전력	15± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-3615WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-8SDL45W


식별번호	23568488
계약단가	88,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	88,000원

제품도면 (Unit: mm)



제품 사양

소비전력	45± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	110 이상	방수등급	-
총 광속	4,950 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V45WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.20 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

인증





고효율



친환경 환경표지



여성기업



G-PASS

DNR-8SDL30W-57K


식별번호	23841812
계약단가	55,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	55,000원

제품도면 (Unit: mm)




제품 사양

소비전력	30± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	3,150 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V30WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.136 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-6SDL25W-57K


식별번호	23841815
계약단가	45,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	45,000원

제품도면 (Unit: mm)




제품 사양

소비전력	25± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	2,625 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V25WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.113 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-6SDL20W-57K


식별번호	23841816
계약단가	38,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	38,000원

제품도면 (Unit: mm)




제품 사양

소비전력	20± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	2,100 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V20WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.09 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-6SDL15W-57K


식별번호	23841817
계약단가	33,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	33,000원

제품도면 (Unit: mm)




제품 사양

소비전력	15± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V15WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-6SDL12W-57K


식별번호	23841818
계약단가	31,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	31,000원

제품도면 (Unit: mm)




제품 사양

소비전력	12± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,260 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V12WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.055± 10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-6SDL10W-57K


식별번호	23841819
계약단가	28,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	28,000원

제품도면 (Unit: mm)




제품 사양

소비전력	10± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	100 이상	방수등급	-
총 광속	1,000 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V10WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.045 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-MSDL30W-57K


식별번호	23841822
계약단가	170,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	170,000원

제품도면 (Unit: mm)



제품 사양

소비전력	30± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	3,150 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V15WAM
커버	-	재질	STEEL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.136 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-3SDL7W-SKP


식별번호	24253774
계약단가	23,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	23,000원

제품도면 (Unit: mm)



제품 사양

소비전력	7± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	100 이상	방수등급	-
총 광속	700 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-2407WAM
커버	-	재질	난연ABS
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.0318±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

인증  KS

 고효율

 친환경 환경표지

 여성기업

 G-PASS

DNR-6SDL15W-SKP


식별번호	24253776
계약단가	19,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	19,000원

제품도면 (Unit: mm)



제품 사양

소비전력	15± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-3615WAM
커버	-	재질	난연ABS
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-6SDL12W-SKP


식별번호	24253777
계약단가	19,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	19,000원

제품도면 (Unit: mm)



제품 사양

소비전력	12± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,260 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-3612WAM
커버	-	재질	난연ABS
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.055± 10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-3SDL3W-SKP


식별번호	24316037
계약단가	18,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	18,000원

제품도면 (Unit: mm)



제품 사양

소비전력	3± 10%	역률(PF)	0.8 이상
입력전압	-	사용온도	-
광효율	80 이상	방수등급	-
총 광속	300 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-2403WAM
커버	-	재질	난연ABS
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.0136 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	90 이상

DNR-40W8DL-57K


식별번호	24321689
계약단가	88,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	88,000원

제품도면 (Unit: mm)



제품 사양

소비전력	40± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	110 이상	방수등급	-
총 광속	4,400 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V40WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.18 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-7SDL20W-57K


식별번호	24321691
계약단가	68,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	68,000원

제품도면 (Unit: mm)



제품 사양

소비전력	20± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	2,100 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V20WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.09 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-30W8DL-57K


식별번호	24332436
계약단가	99,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	99,000원

제품도면 (Unit: mm)



제품 사양

소비전력	30± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	3,150 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V30WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.136 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-20W6DL-57K


식별번호	24332438
계약단가	44,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	44,000원

제품도면 (Unit: mm)



제품 사양

소비전력	20± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	2,100 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V20WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.09 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-15W6DL-57K


식별번호	24332439
계약단가	40,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	40,000원

제품도면 (Unit: mm)



제품 사양

소비전력	15± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V15WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-12W6DL-57K


식별번호	24332440
계약단가	37,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	37,000원

제품도면 (Unit: mm)



제품 사양

소비전력	12± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,260 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V12WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.055± 10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-SAFE15


식별번호	24753694
계약단가	150,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	150,000원

제품도면 (Unit: mm)



제품 사양

소비전력	15± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V15WAM SSL-36V15W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-SAFE12


식별번호	24760034
계약단가	150,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	150,000원

제품도면 (Unit: mm)



제품 사양

소비전력	12± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,260 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-36V12WAM SSL-36V12W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.055± 10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-R12W903


식별번호	24792689
계약단가	60,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	60,000원

제품도면 (Unit: mm)



제품 사양

소비전력	12± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,260 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SKP-36V12WAM SSL-36V12W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.055± 10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-R10W903


식별번호	24792690
계약단가	55,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	55,000원

제품도면 (Unit: mm)



제품 사양

소비전력	10± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	100 이상	방수등급	-
총 광속	1,000 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SKP-36V12WAM SSL-36V12W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.045 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-R10W80


식별번호	24792691
계약단가	50,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	50,000원

제품도면 (Unit: mm)



제품 사양

소비전력	10± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	100 이상	방수등급	-
총 광속	1,000 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SKP-36V10WAM SSL-36V10W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.045 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-R12W138


식별번호	24792692
계약단가	62,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	62,000원

제품도면 (Unit: mm)



제품 사양

소비전력	12± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,260 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SKP-36V12WAM SSL-36V12W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.055± 10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-R15W138


식별번호	24792700
계약단가	110,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	110,000원

제품도면 (Unit: mm)



제품 사양

소비전력	15± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-36V15W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-DL12WSPOT


식별번호	24792710
계약단가	99,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	99,000원

제품도면 (Unit: mm)



제품 사양

소비전력	12± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	80 이상	방수등급	-
총 광속	960 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-36V12W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.055± 10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-DL08WSPOT


식별번호	24792712
계약단가	90,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	90,000원

제품도면 (Unit: mm)



제품 사양

소비전력	8± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	80 이상	방수등급	-
총 광속	640 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-36V08W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.036 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-DL05WSP0T


식별번호	24792713
계약단가	90,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	90,000원

제품도면 (Unit: mm)



제품 사양

소비전력	5± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	80 이상	방수등급	-
총 광속	500 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-36V05W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.022 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-10W6DL-57K


식별번호	24839472
계약단가	35,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	35,000원

제품도면 (Unit: mm)



제품 사양

소비전력	10± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	100 이상	방수등급	-
총 광속	1,000 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-3610WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.045 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-5S12WDL


식별번호	24839485
계약단가	33,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	33,000원

제품도면 (Unit: mm)



제품 사양

소비전력	12± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,260 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SSL-36V12W-HG
커버	-	재질	STEEL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.055± 10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-6SDL15W-FF


식별번호	25191344
계약단가	38,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	38,000원

제품도면 (Unit: mm)



제품 사양

소비전력	15± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SSL-LCP3615FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-6SDL12W30-FF


식별번호	25232022
계약단가	55,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	55,000원

제품도면 (Unit: mm)



제품 사양

소비전력	12± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,260 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SSL-LCP3612FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.055± 10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-6SDL15W40-FF


식별번호	25232023
계약단가	55,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	55,000원

제품도면 (Unit: mm)



제품 사양

소비전력	15± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SSL-LCP3615FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-MR10


식별번호	25352248
계약단가	120,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	120,000원

제품도면 (Unit: mm)



제품 사양

소비전력	10± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	100 이상	방수등급	-
총 광속	1,000 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-LCP3610FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.045 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-MR20


식별번호	25352249
계약단가	160,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	160,000원

제품도면 (Unit: mm)



제품 사양

소비전력	20± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	2,100 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-LCP3610FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.09 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-MS30


식별번호	25352252
계약단가	180,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	180,000원

제품도면 (Unit: mm)



제품 사양

소비전력	30± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	3,150 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-LCP3615FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.136 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-MT20


식별번호	25352253
계약단가	120,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	120,000원

제품도면 (Unit: mm)



제품 사양

소비전력	20± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	2,100 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-LCP3620FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.09 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-AG10W4DL40K


식별번호	25382245
계약단가	33,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	33,000원

제품도면 (Unit: mm)



제품 사양

소비전력	10± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	75 이상	방수등급	-
총 광속	750 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	서울반도체	컨버터	SSL-36V05W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.045 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-5W3DL


식별번호	25387080
계약단가	31,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	31,000원

제품도면 (Unit: mm)



제품 사양

소비전력	5± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	75 이상	방수등급	-
총 광속	375 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	서울반도체	컨버터	SSL-36V05W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.022 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-30COB170R


식별번호	25387083
계약단가	88,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	88,000원

제품도면 (Unit: mm)




제품 사양

소비전력	30± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	3,150 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-LCP3630FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.136 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-20COB140R


식별번호	25387084
계약단가	75,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	75,000원

제품도면 (Unit: mm)




제품 사양

소비전력	20± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	2,100 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-LCP3620FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.09 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-15COB110R


식별번호	25387085
계약단가	65,800원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	65,800원

제품도면 (Unit: mm)




제품 사양

소비전력	15± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-LCP3615FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-10COB85R


식별번호	25387086
계약단가	60,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	60,000원

제품도면 (Unit: mm)



제품 사양

소비전력	10± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	100 이상	방수등급	-
총 광속	1,000 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-LCP3610FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.045 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-110DL20


식별번호	25786832
계약단가	92,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	92,000원

제품도면 (Unit: mm)



제품 사양

소비전력	20± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	2,100 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-LCP3610FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.09 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-110DL15


식별번호	25786833
계약단가	87,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	87,000원

제품도면 (Unit: mm)



제품 사양

소비전력	15± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-LCP3610FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-100DL15


식별번호	25786834
계약단가	87,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	87,000원

제품도면 (Unit: mm)



제품 사양

소비전력	15± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-LCP3610FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-90DL12


식별번호	25786835
계약단가	79,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	79,000원

제품도면 (Unit: mm)



제품 사양

소비전력	12± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,260 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-LCP3610FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.055± 10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-90DL10


식별번호	25786836
계약단가	79,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	79,000원

제품도면 (Unit: mm)



제품 사양

소비전력	10± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	100 이상	방수등급	-
총 광속	1,000 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-LCP3610FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.045 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-2SDL05


식별번호	25786838
계약단가	66,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	66,000원

제품도면 (Unit: mm)



제품 사양

소비전력	5± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	75 이상	방수등급	-
총 광속	375 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-LCP3610FF-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.022 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-ED095-006BA-57DAA


식별번호	25805936
계약단가	33,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	33,000원

제품도면 (Unit: mm)



제품 사양

소비전력	06± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	80 이상	방수등급	-
총 광속	800 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	PC1006L-36AD1
커버	-	재질	ABS
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.045 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	90 이상

DNR-MA15


식별번호	26201355
계약단가	90,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	90,000원

제품도면 (Unit: mm)



제품 사양

소비전력	15± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-36V15W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-MA30


식별번호	26201356
계약단가	166,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	166,000원

제품도면 (Unit: mm)



제품 사양

소비전력	30± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	3,150 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-36V15W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.136 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-6SDL10W


식별번호	23389695
계약단가	23,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	23,000원

제품도면 (Unit: mm)



제품 사양

소비전력	10± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	100 이상	방수등급	-
총 광속	1,000 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-3610WAM
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.045 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-3SDL5W-SKP


식별번호	24253775
계약단가	22,500원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	22,500원

제품도면 (Unit: mm)



제품 사양

소비전력	5± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	100 이상	방수등급	-
총 광속	500 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SKP-2405WAM
커버	-	재질	난연ABS
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.022 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

인증  KS

 고효율

 친환경 환경표지

 여성기업

 G-PASS

DNR-DL10WSPOT


식별번호	24792711
계약단가	99,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	99,000원

제품도면 (Unit: mm)



제품 사양

소비전력	10± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	80 이상	방수등급	-
총 광속	800 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-36V10W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.045 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-6DL-FA-W018-SS


식별번호	25636904
계약단가	28,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	28,000원

제품도면 (Unit: mm)



제품 사양

소비전력	18± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,260 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SSL-N36V18W-PT
커버	-	재질	STEEL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.056± 10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-6DL-FA-W015-SS


식별번호	25636905
계약단가	16,500원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	16,500원

제품도면 (Unit: mm)



제품 사양

소비전력	15± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SSL-N36V15W-PT
커버	-	재질	STEEL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-6DL-FA-W012-SS


식별번호	25636906
계약단가	16,500원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	5665 ±355	16,500원

제품도면 (Unit: mm)



제품 사양

소비전력	12± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	5665 ±355	SIZE	-
LED PKG	서울반도체	컨버터	SSL-N36V12W-PT
커버	-	재질	STEEL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-R90DLC12W-D75


식별번호	26182855
계약단가	75,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	75,000원

제품도면 (Unit: mm)



제품 사양

소비전력	12± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,260 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-36V12W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.055± 10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-R120DLC12W-D100


식별번호	26182856
계약단가	77,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	77,000원

제품도면 (Unit: mm)



제품 사양

소비전력	12± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,260 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-36V12W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.055± 10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-R140DLC15W-D120


식별번호	26182857
계약단가	85,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	85,000원

제품도면 (Unit: mm)



제품 사양

소비전력	15± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	1,575 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-36V15W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.068 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-R155DLC20W-D140


식별번호	26182858
계약단가	89,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	89,000원

제품도면 (Unit: mm)



제품 사양

소비전력	20± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	105 이상	방수등급	-
총 광속	2,100 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-36V20W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.09 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-TR05W-D75


식별번호	26182859
계약단가	80,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	80,000원

제품도면 (Unit: mm)



제품 사양

소비전력	5± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	100 이상	방수등급	-
총 광속	500 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-36V05W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.022 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상

DNR-루바S10W-D85


식별번호	26182860
계약단가	99,000원



제품명
LED 다운라이트

SIZE	색온도	계약단가
-	2700 ~ 6000	99,000원

제품도면 (Unit: mm)



제품 사양

소비전력	10± 10%	역률(PF)	0.9 이상
입력전압	-	사용온도	-
광효율	100 이상	방수등급	-
총 광속	1,000 이상	연색성(CRI)	80 이상
색온도	2700 ~ 6000	SIZE	-
LED PKG	제조사 확인 필요	컨버터	SSL-36V10W-HG
커버	-	재질	AL
수명	50,000시간	중량	-
용도	형광램프대체	입력전류 (A)	0.045 ±10%
초기광속 (%)	95% 이상	광속유지율 (%)	95 이상